

# Saltonase

## HL-Nuclease

Cat. No. EN32  
CoA Version: 3.2019

### CERTIFICATE OF ANALYSIS

---

<b>Product Name:</b>	Saltonase HL-Nuclease
<b>Catalog number:</b>	EN32
<b>Concentration:</b>	≥ 20 U/μl
<b>Unit definition:</b>	One unit (Kunitz) is defined as an increase in absorbance at 260 nm of 1.0 in 30 minutes at 37°C in 50 mM Tris-HCl buffer, pH 8.0 (25°C) supplemented with 5 mM MgCl <sub>2</sub> , 0.1 mg/ml BSA and 0.5 mg/ml herring sperm DNA as a substrate.
<b>LOT number:</b>	JBE626374
<b>Expiry Date:</b>	08.2021
<b>Storage conditions:</b>	-20°C in the freezer without a defrost cycle. For long-term storage place at -80°C freezer
<b>Storage Buffer:</b>	20 mM Tris-HCl (pH 7.5); 500 mM NaCl; 5 mM MgCl <sub>2</sub> ; 50% (v/v) glycerol
<b>Shipping conditions:</b>	Shipping on blue or dry ice
<b>Specification Version:</b>	PS-EN32-2.2019

## QUALITY CONTROL

Parameter	Specification	Analysis
Activity	$\geq 20$ U/ $\mu$ l (Kunitz)	22 U/ $\mu$ l (Kunitz)
Purity by SDS-PAGE Electrophoresis <sup>1</sup>	> 90%	Pass
Protease activity <sup>2</sup>	None detected	Pass

<sup>1</sup> The purity is > 90% as evaluated by SDS-PAGE electrophoresis.

<sup>2</sup> Protease activity is judged by incubation of 1  $\mu$ g of BSA with 100 U of enzyme for 20 hours at 37°C. Results are visualized on an polyacrylamide gel. No detectable degradation of the protein mixture as determined by SDS-PAGE with Coomassie Blue detection.

This product has been tested and shown to be in compliance with all specifications.

Quality authorized by: **Monika Pokorska**

Date: **13.08.2019**

This document was generated electronically and is therefore valid without signature.

### PRODUCT USE LIMITATION

This product of Blirt S.A. has been developed for research purposes only and it is not suitable for human and animal therapeutic or diagnostic use.

### WARRANTY TERMS

Blirt S.A. guarantees that the quality of the product, within its expiry date, complies with the specifications of the Certificate of Analysis provided the product was stored properly in original packaging. In case of any complaints within specified warranty period, Blirt S.A. is obliged to replace any batch or Product's item within the Product's expiry date, free of charge. Blirt S.A. awards no other, additional warranties, excluding any other direct or indirect guarantees regarding suitability, productivity, the purpose of use, merchantability, storage conditions or any other factors in relation to products of Blirt S.A.

### LIMITATION OF LIABILITY

Blirt S.A. is no liable for any direct, indirect, incidental, intentional, or consequential damages that may result from the use of or inability to use any product of Blirt's.

By purchasing any Blirt's product, a purchaser acknowledges the guarantee terms that indisputably state that the only grounds for a complaint and thereby replacement of the product, free of charge is a detection of the product's defect that compromises its functionality in accordance with its specification.